Ĺ	Hits	Search Text	DB	Timo atamp
Number	nits	Search Text	l np	Time stamp
-	651	fifo same read adj pointer same write adj	USPAT;	2003/09/10
i _	49	pointer (fifo same read adj pointer same write	US-PGPUB USPAT;	13:45 2003/09/10
_	19	adj pointer) same compar\$4 with (empty	US-PGPUB	14:06
		full)		
-	1	("6373846").PN.	USPAT;	2003/09/10
_	1055	event with FIFO	US-PGPUB USPAT;	14:07 2003/09/10
			US-PGPUB;	14:08
			EPO; JPO;	
_	12	(event with FIFO) with write adj pointer	DERWENT USPAT;	2003/09/10
		(overs with fire, with with day permeet	US-PGPUB;	14:13
			EPO; JPO;	
_	18	circular adj fifo same read adj pointer	DERWENT USPAT;	2004/08/13
		same write adj pointer	US-PGPUB;	17:43
			EPO; JPO;	
_	0	event with (log logging) with processor	DERWENT	2003/09/10
		with fifo	USPAT; US-PGPUB	15:55
	12	event with (log logging) with fifo	USPAT;	2003/09/10
_	447	hardware adj event	US-PGPUB	16:14
_	447	hardware adj event	USPAT; US-PGPUB	2003/09/10 16:16
-	4	(hardware adj event) with fifo	USPAT;	2003/09/10
	1000		US-PGPUB	16:14
_	1066	hardware with (event interrupt) with detect\$4	USPAT; US-PGPUB	2004/01/09
_	18	(hardware with (event interrupt) with	USPAT;	2003/09/10
		detect\$4) same fifo	US-PGPUB	16:20
-	18	(hardware with (event interrupt) with detect\$4) same fifo	USPAT; US-PGPUB	2003/09/10 16:23
_	1	dual adj port with fifo same write adj	USPAT;	2003/09/10
		counter same read adj counter same write	US-PGPUB	16:25
	1008	adj pointer same read adj pointer	USPAT;	2003/09/10
	1000	TITO WICH CVCHES	US-PGPUB	16:25
-	835	FIFO with events	USPAT	2003/09/10
-	108	(FIFO with events) same interrupt	USPAT	16:25 2003/09/10
		(Tito with evenes, same interrupt	051111	16:30
-	1	event with timestamp with fifo	USPAT	2003/09/10
_	4431	FIFO with controller	USPAT;	16:30 2003/09/10
	1101		US-PGPUB	17:05
_	0	(FIFO with controller) same hardware adj	USPAT;	2003/09/10
_	14	event (FIFO with controller) same hardware with	US-PGPUB USPAT;	17:02 2003/09/10
		event	US-PGPUB	17:03
-	13638	processor with interrupt	USPAT;	2003/09/10
_	93	(FIFO with controller) same (processor	US-PGPUB USPAT;	17:06 2003/09/10
		with interrupt)	US-PGPUB	17:06
_	340	(set\$4 reset\$4) with interrupt with FIFO	USPAT;	2003/12/16
_	3830	(set\$4 reset\$4) with interrupt with (FIFO	US-PGPUB USPAT;	17:14 2004/01/09
		memory buffer)	US-PGPUB	10:23
-	1557	(set\$4 reset\$4) near3 interrupt with	USPAT;	2003/12/16
_	123	(FIFO memory buffer) ((set\$4 reset\$4) near3 interrupt with	US-PGPUB USPAT;	17:30 2003/12/16
		(FIFO memory buffer)) same event	US-PGPUB	17:15
-	213	((set\$4 reset\$4) near3 interrupt with	USPAT;	2003/12/16
		(FIFO memory buffer)) same (event entry entries)	US-PGPUB	17:15
-	91	((set\$4 reset\$4) near3 interrupt with	USPAT;	2003/12/16
		(FIFO memory buffer)) with (event entry	US-PGPUB	17:15
	<u> </u>	entries)		

-	82	(set\$4 reset\$4) near3 interrupt adj latch	USPAT; US-PGPUB	2003/12/16 17:40
_	1	((set\$4 reset\$4) near3 interrupt adj	USPAT;	2003/12/16
	_	latch) same (event with (log\$4 entry	US-PGPUB	17:32
		record\$))		
-	21	((set\$4 reset\$4) near3 interrupt adj	USPAT;	2003/12/16
		latch) and (event with (log\$4 entry record\$))	US-PGPUB	17:32
_	31720	event with (log logging logged entry	USPAT;	2003/12/16
	31,20	record()	US-PGPUB	17:34
-	1	((set\$4 reset\$4) near3 interrupt adj	USPAT;	2003/12/16
		latch) same (event with (log logging	US-PGPUB	17:34
	13	logged entry record\$))	HCDAM.	2002/12/16
-	13	((set\$4 reset\$4) near3 interrupt adj latch) and (event with (log logging	USPAT; US-PGPUB	2003/12/16
		logged entry record\$))	05 10105	17.51
_	1435	(set\$4 reset\$4) near3 interrupt with	USPAT;	2003/12/16
		processor	US-PGPUB	17:35
-	21	<pre>(event with (log\$4 entry record\$)) same ((set\$4 reset\$4) near3 interrupt with</pre>	USPAT;	2003/12/16
		((set;4 reset;4) near3 interrupt with processor)	US-PGPUB	17:37
_	6	(event with (log logging logged entry	USPAT;	2003/12/16
		record\$)) same ((set\$4 reset\$4) near3	US-PGPUB	17:38
		interrupt with processor)		
_	263	702/187.ccls.	USPAT; US-PGPUB	2003/12/16 17:39
_	2	702/187.ccls. and ((set\$4 reset\$4) with	USPAT;	2003/12/16
	[_]	interrupt with (FIFO memory buffer))	US-PGPUB	17:40
_	0	702/187.ccls. and ((set\$4 reset\$4) near3	USPAT;	2003/12/16
	11136	interrupt with processor) (set\$4 reset\$4) near3 interrupt	US-PGPUB USPAT;	17:40 2003/12/16
	11130	(Secon lesecon) hears interrupt	US-PGPUB	17:40
_	8	702/187.ccls. and ((set\$4 reset\$4) near3	USPAT;	2003/12/16
	_	interrupt)	US-PGPUB	17:42
_	258	((set\$4 reset\$4) near3 interrupt) with	USPAT;	2004/01/09
_	9	entry ((set\$4 reset\$4) near3 interrupt) with	US-PGPUB USPAT;	2003/12/16
		entry near3 (FIFO memory buffer)	US-PGPUB	17:43
-	274	fifo with empty with interrupt	USPAT;	2004/01/09
	0.1		US-PGPUB	10:12
_	91	(fifo with empty with interrupt) with signal	USPAT; US-PGPUB	2004/01/09
_	18	(fifo with empty with interrupt) with	USPAT;	2004/01/09
		(latch reset)	US-PGPUB	10:10
_	6	fifo with (almost adj empty) with	USPAT;	2004/01/09
_	20	interrupt (fifo with empty with interrupt) with	US-PGPUB USPAT;	10:21 2004/01/09
	20	(unlatch reset\$4)	US-PGPUB	10:11
-	3	((fifo with empty with interrupt) with	USPAT;	2004/01/09
		(unlatch reset\$4)) not ((fifo with empty	US-PGPUB	10:11
_	12	with interrupt) with (latch reset)) fifo with empty with (reset\$4 unlatch)	USPAT;	2004/01/09
		near3 interrupt	US-PGPUB	10:12
_	739	((set\$4 reset\$4) near3 interrupt) with	USPAT;	2004/01/09
		(entry event log)	US-PGPUB	10:21
-	167	fifo with (almost adj empty)	USPAT; US-PGPUB	2004/01/09
_	0	(((set\$4 reset\$4) near3 interrupt) with	USPAT;	2004/01/09
		(entry event log)) same (fifo with	US-PGPUB	10:22
	2226	(almost adj empty))	TICD A.M.	2004/01/02
_	3396	fifo with (almost adj empty empty)	USPAT; US-PGPUB	2004/01/09
_	6	(((set\$4 reset\$4) near3 interrupt) with	USPAT;	2004/01/09
		(entry event log)) same (fifo with	US-PGPUB	10:22
		(almost adj empty empty))	WGD D T	
_	4103	(set\$4 reset\$4 latch unlatch) with interrupt with (FIFO memory buffer)	USPAT; US-PGPUB	2004/01/09
_	0	(fifo with (almost adj empty)) same	USPAT;	10:23
		((set\$4 reset\$4 latch unlatch) with	US-PGPUB	10:24
L		interrupt with (FIFO memory buffer))		

=	15	(fifo with (almost adj empty)) and	USPAT;	2004/01/09
İ	1	((set\$4 reset\$4 latch unlatch) with	US-PGPUB	10:24
		<pre>interrupt with (FIFO memory buffer))</pre>		
_	1138	hardware with (event interrupt) with	USPAT;	2004/01/09
		detect\$4	US-PGPUB	10:37
-	52	hardware with (event with interrupt) with	USPAT;	2004/01/09
		detect\$4	US-PGPUB	10:37
-	0	(hardware with (event with interrupt)	USPAT;	2004/01/09
1		with detect\$4) and (fifo with (almost	US-PGPUB	10:37
	_	adj empty))		0004/04/00
-	5	(hardware with (event with interrupt)	USPAT;	2004/01/09
	10241	with detect\$4) with (FIFO memory buffer)	US-PGPUB	10:48
-	18341	interrupt near3 (processor CPU computer)	USPAT;	2004/01/09
	E 1 1 A	active add a data when	US-PGPUB	10:48
-	5110	set\$4 adj2 interrupt	USPAT;	2004/01/09
_	2149	react\$4 adi2 interment	US-PGPUB	10:50
-	2149	reset\$4 adj2 interrupt	USPAT; US-PGPUB	2004/01/09 10:50
_	6914	sot\$4 noar2 interrupt		
	0914	set\$4 near2 interrupt	USPAT; US-PGPUB	2004/01/09 10:50
_	3249	reset\$4 near2 interrupt	USPAT;	2004/01/09
	3249	Losecy Hearz Hiterrupt	US-PGPUB	10:51
_	200	(FIFO buffer memory) near3 (almost adj2	USPAT;	2004/01/09
	200	empty)	US-PGPUB	10:52
_	0	(reset\$4 near2 interrupt) with ((FIFO	USPAT;	2004/01/09
		buffer memory) near3 (almost adj2 empty))	US-PGPUB	10:52
_	0	(reset\$4 near2 interrupt) same ((FIFO	USPAT;	2004/01/09
		buffer memory) near3 (almost adj2 empty))	US-PGPUB	10:52
_	11133	(FIFO buffer memory) near3 empty	USPAT;	2004/01/09
	İ	1,	US-PGPUB	10:52
_	0	(reset\$4 near2 interrupt) same ((reset\$4	USPAT;	2004/01/09
		near2 interrupt) same ((FIFO buffer	US-PGPUB	10:56
		memory) near3 (almost adj2 empty)))		
-	588	(interrupt near3 (processor CPU	USPAT;	2004/01/09
		computer)) same (reset\$4 near2 interrupt)	US-PGPUB	10:56
-	333	(interrupt near3 (processor CPU	USPAT;	2004/01/09
		computer)) with (reset\$4 near2 interrupt)	US-PGPUB	10:56
-	4	((interrupt near3 (processor CPU	USPAT;	2004/01/09
		computer)) with (reset\$4 near2	US-PGPUB	11:02
	2430	interrupt)) with fifo		000440045
-	2430	(fifo memory buffer) with event with log\$4	USPAT;	2004/08/13
_	4		US-PGPUB USPAT;	15:13 2004/01/09
	1	computer)) with ((fifo memory buffer)	US-PGPUB	11:26
		with event with log\$4)	OD-FGFOD	11.20
_	29957	(event history) near3 (log\$4 record\$4	USPAT;	2004/01/09
]		report\$4)	US-PGPUB	11:27
_	1	(((event history) near3 (log\$4 record\$4	USPAT;	2004/01/09
	_	report\$4)) with (interrupt near3	US-PGPUB	11:27
		(processor CPU computer))) same FIFO		
-	31	((event history) near3 (log\$4 record\$4	USPAT;	2004/01/09
		report\$4)) with (interrupt near3	US-PGPUB	11:28
		(processor CPU computer))		
-	807	interrupt with processor with handling	USPAT;	2004/01/09
			US-PGPUB	12:10
-	868	(set\$4 reset\$4) with (latch with	USPAT;	2004/01/09
		interrupt)	US-PGPUB	12:11
-	12	(interrupt with processor with handling)	USPAT;	2004/01/09
		same ((set\$4 reset\$4) with (latch with	US-PGPUB	12:15
]	4170	interrupt))	***	2004/65/55
-	4178	(memory fifo buffer) with (event history)	USPAT;	2004/01/09
_	3	with (log report\$4 record\$4) (interrupt with processor with handling)	US-PGPUB	12:16
	3	same ((memory fifo buffer) with (event	USPAT; US-PGPUB	2004/01/09
		history) with (log report\$4 record\$4))	OD FGFUD	12:17
_	1	((set\$4 reset\$4) with (latch with	USPAT;	2004/01/09
		interrupt)) same ((memory fifo buffer)	US-PGPUB	12:17
		with (event history) with (log report\$4		
		record\$4))		
	· · · · · · · · · · · · · · · · · · ·	·		·

-	12	((set\$4 reset\$4) with (latch with	USPAT;	2004/01/09
	İ	<pre>interrupt)) and ((memory fifo buffer)</pre>	US-PGPUB	12:22
	1	with (event history) with (log report\$4		
		record\$4))		
-	30	(("4630041") or ("4761732") or	USPAT;	2004/01/09
1		("4779194") or ("4821178") or ("5148544")	US-PGPUB	15:34
		or ("5179704") or ("5325310") or		
		("5410715") or ("5471618") or ("5555191")		
		or ("5555413") or ("5615375") or		
		("5628017") or ("4599689") or ("5452432")		
		or ("5546543") or ("5708814") or		ł
		("5761427") or ("6131113") or ("6189066")		
		or ("6189067") or ("6192440") or		
		("6243785") or ("6338111") or ("6351785")		
		or ("6397282") or ("6499065") or		
		("6529986") or ("6574694") or		
		("6615305")).PN.		
-	2	(("5809557") or ("4891788")).PN.	USPAT;	2004/01/09
		///#5000557#\\ /#4000550#\\ ===	US-PGPUB	15:37
-	0	((("5809557") or ("4891788")).PN.) with	USPAT;	2004/01/09
	_	interrupt (#4001700#)	US-PGPUB	15:37
_	0	((("5809557") or ("4891788")).PN.) and	USPAT;	2004/01/09
		interrupt	US-PGPUB	15:38
-	9	circular adj fifo with (read write) adj	USPAT;	2004/01/09
	2474	pointer	US-PGPUB	15:39
1	3474	read adj pointer same ("same" equal) write adj pointer	USPAT;	2004/01/09
		write adj pointer	US-PGPUB;	15:42
			EPO; JPO;	
_	2271	read adj pointer same ("same" equal)	DERWENT	2004/01/00
	22/1		USPAT	2004/01/09
_	2190	write adj pointer	Habam	15:43
	2190	read adj pointer with ("same" equal)	USPAT	2004/01/09
_	61	write adj pointer (read adj pointer with ("same" equal)	HCDAT	15:45
	61	write adj pointer with ("same" equal)	USPAT	2004/01/09
_	309	read adj pointer with (equal "same") with	USPAT	15:43
İ		write adj pointer with (equal same) with	USEAL	2004/01/09
-	61	((read adj pointer with ("same" equal)	USPAT	2004/01/09
		write adj pointer) with interrupt) with	JULIA	15:45
		interrupt		-0.10
	14		USPAT	2004/01/09
		with write adj pointer) with interrupt		15:45
-	1	("5867385").PN.	USPAT;	2004/01/12
			US-PGPUB	17:34
-	2685	(fifo memory buffer) with event with	USPAT;	2004/08/13
		log\$4	US-PGPUB	15:14
_	102	pointer same ((fifo memory buffer) with	USPAT;	2004/08/13
		event with log\$4)	US-PGPUB	15:14
-	63	pointer same ((fifo memory buffer) with	USPAT	2004/08/13
		event with log\$4)		17:15
-	14		USPAT;	2004/08/13
		("5941964") or ("6195725") or ("6222846")	US-PGPUB	17:43
		or ("6351785") or ("6477600") or		
		("6507609") or ("6529986") or ("6574694")		
		or ("6633941") or ("6718413") or		
		("6760799") or ("6766400")).PN.		
_	21	1	USPAT;	2004/08/13
		same write adj pointer	US-PGPUB;	17:43
	1		EPO; JPO;	
_	17	gingular add fife game wood add made a	DERWENT	0004/00/55
	17	circular adj fifo same read adj pointer same write adj pointer	USPAT	2004/08/13
_	50	same write adj pointer interrupt with FIFO with event	מעמפון ו	17:51
	30	TWESTINGS WICH LILO MICH SAGUE	USPAT	2004/08/13
_	21	(interrupt with FIFO with event) and	USPAT	17:51
		pointer	USIAI	2004/08/13 18:26
_	1	("5953467").PN.	USPAT;	2004/08/13
	1		US-PGPUB	18:26
-	1	("6538467").PN.	USPAT;	2004/08/13
	_	, ,	US-PGPUB	18:26
L	·		OT OD	1 40.20

_	3	("5710943" "6172927" "6314478").PN.	USPAT	2004/08/13
	•			18:26
-	10	6172927.URPN.	USPAT	2004/08/13
				18:33
-	10	("4875196" "4882710" "5027326"	USPAT	2004/08/13
		"5029141" "5319597" "5570040"		18:29
		"5692163" "5701267" "5982700"		
		"6044416").PN.		
-	1433	event adj queue	USPAT;	2004/08/13
			US-PGPUB	18:33
-	913	event adj queue	USPAT	2004/08/13
				18:33
-	130	(event adj queue) same pointer	USPAT	2004/08/13
				18:33
_	25	((event adj queue) same pointer) and	USPAT	2004/08/13
		circular		18:34
-	6	6145061.URPN.	USPAT	2004/08/13
				18:39
-	1	("6615305").PN.	USPAT;	2004/08/16
			US-PGPUB	12:55
-	0	(("6615305").PN.) and (FIFO queue buffer)	USPAT;	2004/08/16
	11.		US-PGPUB	12:56

Page 5